

| | |
|---|-------------------|
| Tedarikçinin adı | Electrolux |
| Model tanımı | ECC8549 949599473 |
| Annual Energy Consumption (kWh/year) | 32.7 |
| Energy Efficiency class | A+ |
| Fluid Dynamic Efficiency | 32 |
| Fluid Dynamic Efficiency class | A |
| Lighting Efficiency (lux/W) | |
| Lighting Efficiency class | |
| Grease Filtering Efficiency (%) | 85.1 |
| Grease Filtering Efficiency class | B |
| Air flow at minimum and maximum speed in normal use (m3/h) | 270/550 |
| Air flow at intensive or boost setting (m3/h) | 650 |
| Airborne acoustical A-weighted sound power emissions at minimum and maximum speed in normal use (dB(A)) | 50/66 |
| Airborne acoustical A-weighted sound power emissions at intensive or boost setting (dB(A)) | 69 |
| Power consumption in standby mode (W) | |
| Power consumption in off mode (W) | |

| Attribute Name | Position | Symbol | Value | Unit |
|---|-------------|--------------------------------|---------------------------|-------|
| Model Denomination | | | ECC8549 949599473 | |
| Type of hob | | | Built-In Hob | |
| Number of electric cooking zones | | | 2 | |
| Number of electric cooking areas | | | 1 | |
| Heating technology (induction cooking zones and cooking areas, radiant cooking zones, solid plates) per electric cooking zone and/or area | | | Induction ExtractorHob | |
| For circular cooking zones or area: diameter of useful surface area per electric heated cooking zone, rounded to the nearest 5 mm | Right Front | ∅ | 14.5 | cm |
| | Right Rear | ∅ | 18,0 | cm |
| Energy consumption per cooking zone or area calculated per kg | Right Front | EC ^{electric cooking} | 181.7 | Wh/kg |
| | Right Rear | EC ^{electric cooking} | 174.5 | Wh/kg |
| Energy consumption for the hob calculated per kg | | EC ^{electric hob} | 185.9 | Wh/kg |

| Attribute Name | Symbol | Value | Unit |
|--|---------------------|----------------------|-------------|
| Model Denomination | | ECC8549 949599473 | |
| Annual Energy Consumption | AEC _{hood} | 32.7 | kwh/a |
| Time increase factor | f | 0.8 | |
| Fluid Dynamic Efficiency | FDE _{hood} | 32,0 | |
| Energy Efficiency Index | EEl _{hood} | 42.6 | |
| Measured air flow rate at best efficiency point | QBEP | 286.7 | m3/h |
| Measured air pressure at best efficiency point | PBEP | 449 | Pa |
| Maximum air flow | Q _{max} | 650.0 | m3/h |
| Measured electric power input at best efficiency point | WBEP | 111.9 | W |
| Nominal power of the lighting system | WL | | W |
| Average illumination of the lighting system on the cooking surface | E _{middle} | | lux |
| Measured power consumption in standby mode | P _s | | W |
| Measured power consumption off mode | P _o | | W |
| Sound power level | LWA | 66 | dB |